

# PRODUCT CATALOG

---

Basketball Systems

Soccer Goals

Sporting Accessories

**Perfect Commerce**

1405 Qingtie Building, Laoshan District, Qingdao, Shandong, China

[info@sureperfect.com](mailto:info@sureperfect.com)

+86 532 80778779

[www.sureperfect.com](http://www.sureperfect.com)

**PERFECT COMMERCE**

Your Sporting Advisor



# Contents

## ABOUT US

Company Introduction	1
----------------------	---

## BASKETBALL SYSTEMS

Adjustable Series	3
Wall Mounted Series	10
Fixed Height Series	11
Ceiling Suspended Basketball System	15
Portable Basketball System	17

## SOCCER GOALS

Portable Soccer Goals	25
-----------------------	----

## ACCESSORIES

Pickleball Posts	27
Basketball Accessories	28




## Qualification

5 FIBA Approved Equipment

2 Design Patent

11 Invention Patent

28 Utility Model Patent



# MEET US

## WHO ARE WE?

01


Founded in 2009, **Perfect Commerce Co., Ltd** is a leading manufacturer and exporter specializing in high-quality sport field equipment, including Basketball Goal, Soccer Goal, Tennis Post, Pickleball System, and a range of other essential sports field products. We offer a diverse product line that spans from family-level equipment to school and professional-grade solutions.

## WHY US?

02

With a steadfast commitment to quality, we have established ourselves as the leading choice for organizations and families seeking durable and reliable sports equipments. Our R&D team works closely with clients to design and deliver products that meet specific needs.

**Perfect Commerce** is proud to have built longterm and strong partnerships with renowned companies across North America, Europe, and Australia, some of which have been operated for decades. Innovation and continuous quality enhancement are at the core of our operations, ensuring that we remain at the forefront of the industry and consistently exceed customer expectations.



Overview Outside




Overview Inside



Robot Welding




Laser cutting



Coating

04

## Sales Map



# Adjustable Basketball system

## GSA Series

### Duplex Coated Frames

**Hot-dipped galvanization** for maximum ability of rust resistance and **powder coating** for a smooth, long-lasting finish.

### Height Adjustment

Adjustable from 5'6" to 10' with a **Lift Assist Cylinder** featuring double-spring cartridges, ensuring smooth and controlled height transitions.

### UV-Resistant Padding

Made from high-quality PU material, provides exceptional protection for players. The **UV-resistant** feature ensuring long-lasting durability.



### Specifications

#### GSD

Specifications	GSA872	GSA672	GSA660	GSA554
Pole Size	8" * 8"	6" * 6"	6" * 6"	5" * 5"
Backboard Size	72" * 42"	72" * 42"	60" * 36"	54" * 36"
Overhang	5'	4'	3'	3'
Gross Weight	302 kg	250 kg	228 kg	202 kg
Volume	1 cbm	0.82 cbm	0.72 cbm	0.69 cbm
40HQ Capacity	56 sets	70 sets	88 sets	90 sets

# Adjustable Basketball system

## GSA-CV Series

### Duplex Coated Frames

**Hot-dipped galvanization** for maximum ability of rust resistance and **powder coating** for a smooth, long-lasting finish.

### Clear View Backboard

With all the features of GSA Series, this GSA-CV model has a different arm support design. This model features a clearview backboard, and provides an unobstructed sightline for players and a sleek appearance to the court.



### Specifications

#### GSA-CV

Specifications	GSA872CV	GSA672CV	GSA660CV	GSA554CV
Pole Size	8" * 8"	6" * 6"	6" * 6"	5" * 5"
Backboard Size	72" * 42"	72" * 42"	60" * 36"	54" * 36"
Overhang	5'	4'	3'	3'
Gross Weight	308 kg	263 kg	221 kg	194 kg
Volume	1.22 cbm	0.78 cbm	0.78 cbm	0.66 cbm
40HQ Capacity	56 sets	70 sets	88 sets	90 sets

# Adjustable Basketball system

## GSD Series

### Duplex Coated Frames

**Hot-dipped galvanization** for maximum ability of rust resistance and **powder coating** for a smooth, long-lasting finish.

### Height Adjustment

Adjustable from 5'6" to 10' with a **Lift Assist Cylinder** ensuring smooth and controlled height transitions.

### Clear View Backboard

This model features a clearview backboard, and provides an unobstructed sightline for players and a sleek appearance to the court.



### Specifications

#### GSD

Specifications	GSD6872	GSD672	GSD660
Pole Size	6" * 8"	6" * 6"	6" * 6"
Backboard Size	72" * 42"	72" * 42"	60" * 36"
Overhang	4'	4'	3'
Gross Weight	276 kg	263 kg	221 kg
Volume	0.78 cbm	0.78 cbm	0.78 cbm
40HQ Capacity	60 sets	60 sets	66 sets

# Adjustable Basketball system

## GSE Series

### Your Driveway Choice

Specially designed for driveway use. Fit perfectly in your 1,2,3 car garage driveway. Adjustable from 7'6" to 10' to accommodate different age groups and skill levels.

### Economy Padding

Adjustment Range : 7'6" to 10'  
Edge Padding(Backboard) : 13/16" Thickness  
Pole Padding(Main Upright) : 1-1/4" Thickness PU



### Specifications

#### GSE

Specifications	GSE560	GSE554
Pole Size	5" * 5"	5" * 5"
Backboard Size	60" * 36"	54" * 32"
Overhang	2.5'	2.5'
Gross Weight	120 kg	107 kg
Volume	0.42 cbm	0.36 cbm
40HQ Capacity	135 sets	150 sets

# Fixed Height Basketball system

## FH Series



### Specifications

### FH

Specifications	FH672	FH660
Pole Size	6" * 8"	6" * 8"
Backboard Size	72" * 42"	60" * 38"
Overhang	4'	3'
Height	10'	10'
40HQ Capacity	60 sets	60 sets

# Wall Mounted Basketball system

## WM Series

### Your Space Saving Solution

Designed for space efficiency, brings professional-level play to your home.



### WM


### Specifications

Edge Padding(Backboard) : 1" Thickness

Clear Anodized Aluminum Frame : 3/16" \* 2

Stainless Steel Hardware

Adjustment Range : 6'6" to 10'



Specifications	WM72	WM60	WM54
Backboard Size	72" * 40"	60" * 36"	54" * 36"
Overhang	3'	3'	3'
40HQ Capacity	150 sets	150 sets	160 sets
Rust Armor	Included		

# Fixed Height Basketball system

## FH8000

### Certified to Excellence

Designed for maximum stability and durability, this system is **FIBA Level 2 Certified**. This system would deliver professional-grade performance and is suitable for **all levels of competition**



# Fixed Height Basketball system


## FH6000

### Built for Playground

These two fixed-height basketball systems: FH8000 and FH6000 are specially designed to endure outdoor conditions. Proven by lab experiments, both models offer an unmatched protection against UV and rust.

#### Specifications

#### FH8000



Specifications	FH8000
Backboard Size	72" * 42"
Overhang	7.5'[2250mm]
Height	10' [3050mm]
40HQ Capacity	18 sets

#### FH6000

#### Specifications



Specifications	FH6000
Backboard Size	72" * 42"
Overhang	6.2'[1850mm]
Height	10' [3050mm]
40HQ Capacity	20 sets

## Portable Basketball system

# PP810



### FIBA level 1 Certified

**FIBA Level 1** certified, Designed to ensures top-tier performance for all types of professional competition. It also features the most popular specifications seen in international competition including Olympics and FIBA World Cup.

### Anti-Tip Design

Engineered for safety and stability, the base structure resists tipping even under intense use or external force.

### Remote Control System

This model is also available in an EM version, allowing height and position adjustments through a handheld controller for effortless control.

### Minimized Vibrations

The main structure features a thickened 6mm high-strength body, delivering exceptional durability and stability in every environment.

### Integrated Lift Mechanism

The padding and base rise together in sync, providing quick, hassle-free height adjustment in one motion.



**AMV Design**  
Designed In Italy



**PP810**

**Specifications**

Backboard Size	72" * 42"
Standard Height	10' [3050mm]
Standard Overhang	10.66 ' [3250mm]
Adjustment method	Manual / Electrical
Ballast Size	2180 * 1246mm

Counter Weight	2000 lbs
Total Weight	4100 lbs
40HQ	4 units / 2 pairs
Recommend Usage	Indoor

# PP808



## FIBA level 2 Certified

Engineered to meet FIBA Level 2 standards, this system ensures top-tier performance for most professional competition including FIBA regional and FIBA Youth World Cup.

## Anti-Tip Design

Engineered for safety and stability, the base structure resists tipping even under intense use or extreme external force.

## Remote Control System

This model is also available in an PP808E version, allowing height adjustments through a handheld controller for effortless and smooth control.

## Flexible Height Adjustment

With four available height options from 8' to 10', this model allows quick and easy adjustments to fit different age groups, training sessions, and competition needs.

## Easy Removable Padding

The easily removable padding allows for quick and smooth height adjustments, keeping the setup process effortless and efficient.



## PP675



### FIBA level 2 Certified

Engineered to meet FIBA Level 2 standards, this system ensures top-tier performance for most professional competition including FIBA regional and FIBA Youth World Cup.

### Anti-Tip Design

Engineered for safety and stability, the base structure resists tipping even under intense use or extreme external force.

### Economy Counterweight

This model is also available in an PP675S version, features a higher ballast, allowing user to put stone as counterweights.

### Flexible Height Adjustment

This model comes with 2 heights, 9' and 10'. Allow user to adjust quick and concise to fit different scenarios and needs.

### Integrated Lift Mechanism

The padding and base rise together in sync, providing quick, hassle-free height adjustment in one motion.

PP675

Specifications

Backboard Size	72" * 42"
Standard Height	10' [3050mm]
Standard Overhang	7.5' [2260mm]
Adjustment method	Manual
Ballast Size	2165 * 1075mm
Counter Weight	1450 lbs
40HQ	20 units / 10 pairs
Recommend Usage	Indoor



# Ceiling Suspended SP800 Basketball system

## Foldable Design

Foldable to the ceiling or your designated angle. This system gives your stadium more possibility and flexibility


## Certified to Excellence

This model is **FIBA Level 2 Certified**. It would deliver professional-grade performance and is suitable for **all levels of competition**

## Specifications

### SP800

Backboard Size	72" * 42"
Standard Height	10' [3050mm]
Adjustment method	Remote Control
Power Rating @240 Volts	1500W
Recommend Usage	Indoor



**Note:** This basketball system is suitable for stadium height ranging from 6 meters to 12 meters. Our RD team would slightly change the design based on ceiling condition and stadium setting.

# Ceiling Suspended **SP600** Basketball system

## Foldable Design

This dual-post backstop can be foldable to the ceiling or your designated angle. This system gives your stadium more possibility and flexibility

## Clean View

This model provides a clean, unobstructed view in front of the backboard, ensuring players and audience to enjoy full visibility

## Specifications

### SP600

Backboard Size	72" * 42"
Standard Height	10' [3050mm]
Adjustment method	Remote Control
Power Rating @240 Volts	1500W
Recommend Usage	Indoor

**Note:** This basketball system is suitable for stadium height ranging from 6 meters to 12 meters. Our RD team would slightly change the design based on ceiling condition and stadium setting.



# *Portable Basketball system*

## **PP100**

### **Specifications**

### **PP100**

Backboard size: 54" \* 32"

Glass thickness: 5/16" (8mm)

Overhang(offset): 3.1'

Adjust height: 7.5'-10'

Folded height: 7.5' [2.3m]

Ballast size: 700 \* 1400mm

40HQ: 90 sets



# *Portable Basketball system*

## **PP200**

### **Specifications**

### **PP200**

Backboard size: 60" \* 36"

Glass thickness: 5/16" [8mm]

Overhang(offset): 3.5'

Adjustable height: 7.5'-10'

Ballast size: 960 \* 1569 \* 390mm

40HQ: 60 sets



# Aluminum Soccer Goal

The powder coated frames features waterproof and scratch resistant, suitable for use indoor and outdoor playing surface

The heavy duty net and the net clips are both waterproof and UV treated to protect against sunlight.

Specifications

Soccer

Model No.	Style	Goal Size
FX0302A110W	Standard	3m * 2m
FX0502A110W	Standard	5m * 2m
FX824A110W	Standard	7.3m * 2.4m
FXB824A110W	Box Style	7.3m * 2.4m

Aluminum Pipe: 60 / 80 / 110 mm



**FX0302A110W**



**FX0502A110W**



**FX824A110W**



**FXB824A110W**

# Pickleball Post

## PN01



Inside length of upright post: 22'

End post net height: 36"

Center support post height: 34"

Bottom connecting steel pipes: 1.5" \* 1.5"

Frame surface treatment: Black powder coated

5pcs 3" wheel can be locked in place, so the whole unit does not move.

Loading qty of 1\*40HQ: 600 sets





Each bag packed with ONE unit.

The bag come with wheels and  
customized Logo

## Removable Lift-assist handles

The system includes a detachable handle that helps lift and move the post with ease. After use, the handle can be stored on the post itself, keeping everything neat and accessible.



Inside length of upright post: 22'

End post net height: 36"

Center support post height: 34"

Frame surface treatment: Black powder coated

# Basketball System Customization

## Customization

### Rim





**180° Flex Rim**

*Optional for Outside of US ONLY*



**Breakaway Rim**

**Heavy Duty Flex Rim**



## Bolt-on Backboard Pad

High density PU with UV protection, designed for all-weather use

Optional size: 48", 54", 60", 72"



## Color Selection

### Padding



## J-Bolt Anchor System

Available J-bolt size: M16, M18

Designed for easy installation and relocation

Finish: Zinc plating plus dacromat

# Basketball Accessories